

NATURAL VENTILATION VENTS

Plastic

anjós
inspirer le bien-être



Vents

Plastic

Louvred

Slotted

Adjustable model

Plastic vents

These polystyrene or ABS vents are suitable for indoor and outdoor use.



IMPORTANT




- Made of white polystyrene or ABS
- Other colours for for some models : beige, bronze, light oak, golden oak, dark oak, grey, dark grey and black
- Surface-mountable or flush-mountable
- Adjustable model

PRESENTATION

LOUVRED VENTS

1- RM 30 125 PLASTIC VENTS:




Our RM 30 louvred vents are made of white or sipo mahogany polystyrene and may be fitted with a fly screen (GAM). Connection diameter: 125 mm.

Installation:

Fit inside dia. 125 mm ducts.

Prod. Code	CS (cm ²)	Code
RM 30	60	7373
RM 30 GAM	60	7374

2- R 30 MAN 80 TO 125 PLASTIC VENTS:




Our R 30 louvred vents are made of white polystyrene and fit over collars. Connection diameter: 100 to 125 mm.

Installation:

Fit inside dia. 125 mm ducts.

Référence	S (cm ²)	Code
R 30 MAN 99	45	6451
R 30 MAN 110	45	6452
R 30 MAN 116	45	6453
R 30 MAN 125	45	6454

3- GAE 100 TO 200 PLASTIC VENTS:



RAL	9016	1013	8019	1011	8003	8024	7035	7011	9011
	white	beige	bronze	light oak	golden oak	dark oak	grey	dark grey	black
		BE	BR	CC	CD	CF	GR	GF	NO
		↑							
		See above if ordering a colour other than white.							

Our GAE louvred vents are made of white polystyrene (possibility of other colours) and fitted with clips to hold them inside ducts.

Connection diameter: 100 to 200 mm.

Dia. 100 and 125 mm GAE can be fitted with polystyrene anti-insect grille (GAM).


Installation:

Push fit GAE with clips into duct.

Prod. Code	CS (cm ²)	W x H (mm)	Code
GAE 100 + clips	40	125 x 125	6472
GAE 125 + clips	60	150 x 150	6473
GAE 150 + clips	70	185 x 185	6474
GAE 160 + clips	70	185 x 185	6475
GAE 200 + clips	100	235 x 235	6476
GAE 100 GAM + clips	40	125 x 125	6462
GAE 125 GAM + clips	60	150 x 150	6463

The above codes refer to white-coloured products. To order a different colour, add the two letters of the desired corresponding colour to the end of the standard product code.

4- GRILLES PLASTIQUE - GAP 125 :



RAL	9016	1013	8019	1011	8003	8024	7035	7011	9011
	white	beige	bronze	light oak	golden oak	dark oak	grey	dark grey	black
		BE	BR	CC	CD	CF	GR	GF	NO

Our GAP louvred vents are made of white polystyrene or ABS ASA (possibility of other colours). The lip gasket ensures a tight seal and fit.

Installation:



Push fit GAP into dia. 100 or 125 mm ducts.

Prod. Code	CS (cm ²)	W x H (mm)	Code
GAP 100	45	150 x 150	2204
GAP 125	70	150 x 150	2205

The above codes refer to white-coloured products. To order a different colour, add the two letters of the desired corresponding colour to the end of the standard product code.

← See below if ordering a colour other than white.

5- AV PLASTIC VENTS:



Our AV louvred vents are made of white polystyrene and may be used indoors and out.

May be fitted with a fly screen (GAM).


Installation:

Fit with two screws inside 255 x 85 mm slots.

Prod. Code	CS (cm ²)	Code	
		Standard	+ GAM
AV 270 x100	115	6458	6459

SLOTTED VENTS

1- P-TYPE PLASTIC VENTS:



Our P slotted vents are made of white polystyrene and are for indoor use only. May be fitted with a fly screen (GAM).


Installation:

Vent alone: for surface-mounting with two screws.

Framed vent: for grouting in masonry (H x 100 mm slot). Snap into place in the frame via two clips.

Prod. Code	Width x Height (mm)	CS (cm ²)	H (mm)	Code			
				Standard	+ GAM	Frame	Frame + GAM
P 100	130 x 130	60	100	6480	6483	6490	6493
P 150	130 x 180	90	150	6481	6484	6491	6494
P 200	130 x 230	120	200	6482	6485	6492	6495

2- PM ADJUSTABLE VENTS:



Our PM adjustable vents are made of polystyrene and consist of a white P-type slotted vent and a groutable frame containing two dampers to control the flow of air. Bottom lever for partial or complete closure of the flow of air.

Installation:

Vertically or horizontally on a vertical wall. Grout the frame in masonry (H x 100 mm slot). Snap the grille into the frame with the two clips.

Prod. Code	CS (cm ²)	H (mm)	Code
Adjustable vent PM 100	0/60	100	6496
Adjustable vent PM 150	0/90	150	9497
Adjustable vent PM 200	0/120	200	9498